

## 書籍

- 阿部秀樹・野田三千代・神谷充伸. 2012. 海藻: 日本で見られる388種の生態写真+おしば標本 (ネイチャーオッティングガイドブック) . pp.271. 誠文堂新光社.
- 馬場菊太郎. 1949. 生物学御研究所(編). 相模湾産後鰓類図譜. pp. 4+2+194+7, pls. 50. 岩波
- 馬場菊太郎. 1955. 生物学御研究所(編). 相模湾産後鰓類図譜 補遺. pp. 3+59, pls. 1-20. 岩波
- 馬場菊太郎. 1964. 富山湾産後鰓類図譜. pp. 99, pls. 1-36. 北隆館.
- Brusca, R., Moore, W., Shuster, S. 2016. Invertebrates. pp.1104. Sinauer Associates, Incorporated, Publishers.
- David W. Behrens. 2005. Nudibranch Behavior. pp.176. New World Publications, Inc.
- デイビッド・W・ベーレンス. 2019. 中嶋康裕・小糸圭太・関澤彩眞(翻訳). ウミウシという生き方－行動と生態. pp.184. 東海大学出版部
- 今原幸光. 2023. 新写真でわかる磯の生き物図鑑. pp.286. 海文堂.
- 今原幸光・岩瀬文人・並河洋. 2014. 相模湾産八放サンゴ類. pp.398. 東海大学出版会.
- Gosliner, T., Valdés, A., Behrens, D. 2018. Nudibranch & Sea slug Identification Indo-Pacific 2nd edition. pp.451. New World Publications, Inc.
- 濱谷巖. 1999. 後鰓類. 内田亨・山田真弓(編). 動物系統分類学 5(下) 軟体動物(II), pp. 207-378. 中山書店.
- 濱谷巖. 2000. 後鰓亞綱. 奥谷喬司(編著). 日本近海産貝類図鑑. p.732-810. 東海大学出版会.
- 濱谷巖. 2017. 低位異鰓目. 裸側目. 真後鰓目. 汎有肺目. 奥谷喬司(編著). 日本近海産貝類図鑑 第二版. 図版 p.355-451, 解説 p.1064-1105. 東海大学出版部.
- 平瀬信太郎. 1927. 翼足目, 後鰓目. 内田清之助. 日本動物図鑑. p.1458-1476. 北隆館.
- 平野義明. 2000. ウミウシ学 海の宝石、その謎を探る. pp. 222. 東海大学出版会.
- Hirohito, His Majesty the Emperor of Japan, 1988. The hydroids of Sagami Bay. Biol. Lab. Imp. Household, Tokyo, 179 pp. + 110 pp. 4 pls., 2 maps.
- Hirohito, His Majesty the Emperor of Japan, 1995. The hydroids of Sagami Bay II. Biol. Lab. Imp. Household, Tokyo, 355 pp. + 244 pp. 13 pls., 2 maps.
- 入村精一. 1982. 生物学御研究所(編). 相模湾産蛇尾類. pp.95+47, pls.15. 丸善
- 成ヶ島探見の会. 2022. 由良湾・成ヶ島の貝類(2022年改訂版). pp.4+40+14, pls.178. 奥井
- 加藤晶一. 2009. ウミウシ: 生きている海の妖精 (ネイチャーオッティングガイドブック) .pp.271. 誠文堂新光社.
- 加戸隆介・奥村誠一・広瀬雅人・三宅裕志. 2021. 三陸の海の無脊椎動物. pp.278. 恒星社厚生閣.
- 黒田徳米・時岡隆・馬場菊太郎・波部忠重. 1965. 後鰓亞綱. 内田清之助・内田亨・岡田要(監修). 新日本動物図鑑. p.155-187. 北隆館
- 黒田徳米. 時岡隆. 馬場菊太郎. 平瀬信太郎. 1952. 無腔目. 囊舌目. 翼足目. 側腔目. 内田清之助(編著). 改訂増補日本動物図鑑. p.1062-1087. 北隆館.
- 奥谷喬司. 1994. サンゴ礁の生きもの. pp.319. 山と渓谷社
- 奥谷喬司. 1997. 貝のミラクル 軟体動物の最新学. pp. 350. 東海大学出版会.
- 小野篤司. 1999. ウミウシガイドブック—沖縄・慶良間諸島の海から. pp.183. 阪急コミュニケーションズ
- 小野篤司. 2004. 沖縄のウミウシ. pp.303. 文一総合出版
- 小野篤司・加藤昌一. 2020. 新版 ウミウシ (ネイチャーオッティングガイドブック).pp.592. 誠文堂新
- 中野理枝. 2004. 本州のウミウシ. pp.303. 文一総合出版
- 中野理枝. 2018. 日本のウミウシ (ネイチャーガイド). pp.544. 文一総合出版.
- 中野理枝. 2019. フィールド図鑑 日本のウミウシ. pp. 144. 文一総合出版.
- 日本付着生物学会. 2017. 新・付着生物研究法 主要な付着生物の種類査定. pp.308. 恒星社厚生
- 西村三郎. 1992. 原色検索日本海岸動物図鑑 I . pp. 425. 保育社.
- 益田一. 1991. フィールド図鑑海岸動物 補訂版. pp. 209-232. 東海大学出版会.
- 益田一. 1999. 海洋生物ガイドブック. pp. 79-136. 東海大学出版会.
- 峯水亮・久保田信・平野弥生・ドゥーグル・リンジー. 2015. 日本クラゲ大図鑑. pp. 360. 平凡社.
- 武藏石寿. 1843. ヤカタガイ. ミスガイ. 目八譜 8. p.20-21,23. 国立国会図書館デジタルコレク
- Ponder, W. F., Lindberg, D. R., & Ponder, J. M. 2019. Biology and Evolution of the Mollusca Volume 1. pp.924. CRC Press.

Ponder, W. F., Lindberg, D. R., & Ponder, J. M. 2020. Biology and Evolution of the Mollusca Volume 2. pp.890. CRC Press.
R. T. アボット., S. P. ダンス. 1998. 波部忠重・奥谷喬司(監訳). 世界海産貝類大図鑑. pp. 443.
鈴木敬宇. 2000. ウミウシガイドブック(2)伊豆半島の海から. pp.178. 阪急コミュニケーションズ
瀧巖. 1933. ウミフクロウ. 田中茂穂他(著). 水産動植物図説—有用・有害・觀賞. p.533-534. 大地
谷田専治・星野孝治. 1989. 生物学御研究所(編). 相模湾産尋常海綿類. pp.197+166, pls.1-19,
Thompson, T. 1976. Biology of the Opisthobranch Molluscs. Volume 1. pp.205. The Ray Society.
Thompson, T. 1986. Biology of the Opisthobranch Molluscs. Volume 2. pp.229. The Ray Society.
千原光雄・村野正昭. 1997. 後鰓亜綱. 日本産海洋プランクトン検索図鑑. p.573-598. 東海大学出版
殿塚孝昌. 2003. ウミウシガイドブック(3)バリとインドネシアの海から. pp.164. 阪急コミュニケーションズ.
椿玲未. 2021. カイメン すてきなスカスカ. pp. 142. 岩波書店.
吉田忠生. 1998. 新日本海藻誌: 日本産海藻類総覧. pp. 1222. 内田老鶴園

## 論文

Alexander, J., & Valdés, Á. 2013. The Ring Doesn't Mean a Thing: Molecular Data Suggest a New Taxonomy for Two Pacific Species of Sea Hares (Mollusca: Opisthobranchia, Aplysiidae) 1. Pacific Science, 67(2), 283-294.
Anthes, N., & Michiels, N. K. 2007. Precopulatory stabbing, hypodermic injections and unilateral copulations in a hermaphroditic sea slug. Biology Letters, 3(2), 121-124.
Anthes, N., & Michiels, N. K. 2007. Reproductive morphology, mating behavior, and spawning ecology of cephalaspisid sea slugs (Aglajidae and Gastropteridae). Invertebrate Biology, 126(4), 335-365.
Anthes, N., Putz, A., & Michiels, N. K. 2005. Gender trading in a hermaphrodite. Current Biology, 15(19), R792-R793.
Avila, C., & Angulo-Preckler, C. 2020. Bioactive compounds from marine heterobranchs. Marine drugs, 18(12), 657.
Avila, C., Núñez-Pons, L., & Moles, J. 2018. From the Tropics to the Poles: chemical defense strategies in sea slugs (Mollusca: Heterobranchia). In Chemical Ecology (pp. 71-163). CRC Press.
Avila, C., Tyndale, E., & Kuzirian, A. M. 1998. Feeding behavior and growth of <i>Hermissenda crassicornis</i> (Mollusca: Nudibranchia) in the laboratory. Marine & Freshwater Behaviour & Phy, 31(1), 1-19.
Baba, K. 1930. Studies on Japanese Nudibranchs (3): A. Phyllidiidae: Studies on Japanese Nudibranchs (3): B. Aeolididae. The Venus, 2(3), 117-125.
Baba, K. 1936. Opisthobranchia of the Ryukyu (Okinawa) islands. Journal of the Department of Agriculture, Kyushu Imperial University. 5(1): 1-49
Baba, K. 1937a. Opisthobranchia of Japan (I). Journal of the Department of Agriculture, Kyusyu Imperial University, 5(4):195-237
Baba, K. 1937b. Opisthobranchia of Japan (II). Journal of the Department of Agriculture, Kyusyu Imperial University, 5(7):289-347
Baba, K. 1938. Opisthobranchia of Kii, Middle Japan.
馬場菊太郎. 1952. 珍稀なる囊舌後鰓類一新種 <i>Lobiger (Lobiger) sagamiensis</i> n. sp. に就いて. 動物学雑誌, 61(11), 337-338.
Baba, K. 1953. Three new species and two new records of the genus <i>Glossodoris</i> from Japan. Publications of the Seto Marine Biological Laboratory,
馬場菊太郎. 1954. 日本産クロスジアメフラシ亞属三種について. 動物学雑誌, 63(5), 218-221.
Baba, K. 1957. The species of the genus <i>Elysia</i> from Japan. Publications of the Seto Marine Biological Laboratory, 6(1), 69-74.

- Baba, K. 1959. The family Stiligeridae from Japan (Opisthobranchia-Sacoglossa). Publications of the Seto Marine Biological Laboratory, 7(3), 327-
- Baba, K. 1960a. The genera *Gymnodoris* and *Nembrotha* from Japan (Nudibranchia-Polyceridae). Publications of the Seto Marine Biological
- Baba, K. 1960b. Two new species of the genus *Eubranchus* from Japan (Nudibranchia-Eolidacea). Publications of the Seto Marine Biological Laboratory, 8(2), 299-302.
- Baba, K. 1969. Taxonomic study on *Tritoniopsis elegans* (Audouin, 1826) from Seto, Japan, (Nudibranchia : Dendronotoidea). Publications of the Seto Marine Biological Laboratory, 16(6), 395-398.
- 馬場菊太郎. 1970. 日本産アメフラシ科の種名目録. 採集と飼育32(3):94-96.
- Baba, K. 1971a. Supplementary note on the anatomy of *Eubranchus virginalis* (Baba, 1949) from Japan (Nudibranchia: Eolidoidea: Eubranchidae). Publications of the Seto Marine Biological Laboratory, 19(1), 39-42.
- Baba, K. 1971b. Review of the Anatomical Aspects of *Eubranchus misakiensis* Baba, 1969 from Mukaishima, Japan (Nudibranchia: Eolidoidea: Eubranchidae). Venus (Japanese Journal of Malacology), 30(2), 63-66.
- Baba, K. 1975. Description of *Trinchesia diversicolor* spec. nov. from the Japan Sea coast of Middle Japan (Nudibranchia: Eolidoidea: Cuthonidae). The Veliger. 17(3):251-254.
- Baba, K. 1986. Anatomical information on *Placida* sp.= *Hermaea dendritica* of Baba, 1937 and 1955, from Japan. Shells and Sea Life, 18, 21-22.
- Baba, K. 1987. Two new green-coloured species of *Tambja* from Japan (Nudibranchia: Polyceridae). VENUS,46(1):13-18.
- Baba, K. 1988. Comparative Study on Two Species of Glossodoris from Japan (Nudibranchia : Chromodorididae). VENUS 47(3):158-166.
- Baba, K. 1989a. More study on two species of *Mexichromis* from Japan (Nudibranchia: Chromodorididae). Venus (Japanese Journal of Malacology), 48(1), 12-20.
- Baba, K. 1989b. Review of the Genus *Ceratosoma* from Japan (Nudibranchia: Chromodorididae). Venus (Japanese Journal of Malacology), 48(3), 141-149.
- Baba, K. 1989c. A new distributional record of *Gymnodoris ceylonica* (Kelaart, 1858) from Sagami Bay, Japan. Venus (Japanese Journal of Malacology), 48(3),
- Baba, K. 1991. Taxonomical study on some species of the genus *Phyllodesmium* from Cape Muroto-misaki, Shikoku, and Okinawa Province, southern Japan (Nudibranchia: Facelinidae). Venus (Japanese Journal of Malacology), 50(2),
- Baba, K. 1993. Two new species of *Carminodoris* (Nudibranchia: Dorididae) from Japan. Venus (Japanese Journal of Malacology), 52(3), 223-233.
- Baba, K. 1995. Anatomical and taxonomical review of four blue patterned species of *Hypselodoris* (Nudibranchia: Chromodorididae) from Japan. Venus (Japanese Journal of Malacology), 54(1), 1-15.
- Baba, K. 1996a. Taxonomical Change for *Gymnodois striata* of Baba, 1937 (Nudibranchia: Gymnodorididae) from Amakusa, with a Re-description based on Some Additional Specimens from Toyama Bay, Japan. Venus (Journal of the Malacological Society of Japan). 55 (2): 91-95.
- Baba, K. 1996b. Description of a new species of *Cadlinella* (Nudibranchia: Chromodorididae) from Japan. Venus (Japanese Journal of Malacology), 55(4), 265-271.
- 馬場菊太郎. 2003. 相模湾及び富山湾産ショウワアメフラシ(新記録・新称)の同定とその解剖(図解). 故馬場菊太郎博士短報集. p.4-10. 高岡生物研究会.
- Baba, K., & Abe, T. 1964. Record of *Favorinus tsuruganus* n. sp., from Tsuruga Bay, Japan (Nudibranchia-Eolidoidea). Publications of the Seto Marine Biological Laboratory, 12(2), 163-164.

- Baba, K., & Abe, T. 1975. Comments on further specimens of *Favorinus tsuruganus* B. & A. from Echizen-sho near Tsuruga bay, Japan (Nudibranchia : Eolidoidea : Favoriniidae ). Publications of the Seto Marine Biological Laboratory, 22(1-4), 117-120.
- 馬場菊太郎・濱谷巖. 1952. 紀州産後鰓類目録. 南紀生物1(1):1-11.
- Baba, K., & Hamatani, I. 1963. A short account of the species, *Tenellia pallida* (A. & H.), taken from Mukaishima, Japan (Nudibranchia-Eolidoidea). Publications of the Seto Marine Biological Laboratory, 11(2), 337-338.
- Baba, K., & Hamatani, I. 1964. The anatomy of *Favorinus japonicus* Baba (Nudibranchia-Eolidoidea). Publications of the Seto Marine Biological Laboratory, 12(2), 157-162.
- Baba, K., & Hamatani, I. 1971a. Description of *Pleurobranchus semperi* (Vayssiere,1898) from Osaka Bay,Middle Japan. The Veliger ,13(4):326-329
- Baba, K., & Hamatani, I. 1971b. Record of *Phyllobranchillus orientalis* (Kelaart, 1858)(syn. *Branchophyllum orientale* var. *Sagamiense* baba, 1955) from Cape Shiono-misaki, Kii, middle Japan (Opisthobranchia: Sacoglossa). Publications of the Seto Marine Biological Laboratory, 19(4), 197-201.
- 馬場菊太郎・濱谷巖. 1972. ヒトガイの解剖. 採集と飼育34(10):226-228.
- Baba, K., & Hamatani, I. 1975. An illustrated list of the Phyllidiidae from Seto, Kii, middle Japan (Nudibranchia: Doridoidea).
- Baba, K., & Hamatani, I. 1977. A New Species Tentatively Referred to *Antonietta*, *Antonietta Janthina*, from Japan (Nudibranchia: Eolidoidea: Facelinidae ). The Veliger. 20(1):9-13.
- Bazzicalupo, E., Crocetta, F., Gosliner, T. M., Berteaux-Lecellier, V., Camacho-García, Y. E., Chandran, B. S., & Valdés, Á. 2020. Molecular and morphological systematics of *Bursatella leachii* de Blainville, 1817 and *Stylocheilus striatus* Quoy & Gaimard, 1832 reveal cryptic diversity in pantropically distributed taxa (Mollusca: Gastropoda: Heterobranchia). Invertebrate systematics, 34(5), 535-560
- Bebbington, A. 1977. Aplysiid species from eastern Australia with notes on the Pacific Ocean Aplysiomorpha (Gastropoda, Opisthobranchia). The Transactions of the Zoological Society of London, 34(1), 87-147.
- Betti, F., Bavestrello, G., & Cattaneo-Vietti, R. 2021. Preliminary evidence of fluorescence in Mediterranean heterobranchs. Journal of Molluscan Studies, 87(1), eyaa040.
- Bogdanov, A., Papu, A., Kehraus, S., Cruesemann, M., Wägele, H., & König, G. M. 2020. Metabolome of the *Phyllidiella pustulosa* species complex (Nudibranchia, Heterobranchia, Gastropoda) reveals rare dichloroimidic sesquiterpene derivatives from a phylogenetically distinct and undescribed clade. Journal of Natural Products, 83(9), 2785-2796.
- Boury-Esnault, N., & Rützler, K. 1997. Thesaurus of sponge morphology. Smithsonian contributions to zoology ; no. 596
- Brenzinger, B., Schrödl, M., & Kano, Y. 2021. Origin and significance of two pairs of head tentacles in the radiation of euthyneuran sea slugs and land snails. Scientific Reports, 11(1), 21016.
- Brunckhorst D.J. 1993. The Systematics and Phylogeny of Phyllidiid Nudibranchs (Doridoidea) .Records of the Australian Museum. suppl. 16: 1-108.
- Burghardt, I. N. G. O., & Wägele, H. 2004. A new solar powered species of the genus *Phylloidesmium* Ehrenberg, 1831 (Mollusca: Nudibranchia: Aeolidoidea) from Indonesia with analysis of its photosynthetic activity and notes on biology. Zootaxa, 596(1), 1-18.
- Burghardt, I., Evertsen, J., Johnsen, G., & Wägele, H. 2005. Solar powered seaslugs-mutualistic symbiosis of aeolid Nudibranchia (Mollusca, Gastropoda, Opisthobranchia) with Symbiodinium. Symbiosis, 38:227-250.

- Burghardt, I., Stemmer, K., & Wägele, H. 2008. Symbiosis between Symbiodinium (Dinophyceae) and various taxa of Nudibranchia (Mollusca: Gastropoda), with analyses of long-term retention. *Organisms Diversity & Evolution*, 13(1), 1-12.
- Burn, R. 1966. Descriptions of Australian Eolidacea (Mollusca: Opisthobranchia). *Journal of the Malacological Society of Australia*, 1:10, 21-28.
- Camacho-García, Y. E., & Gosliner, T. M. 2008. Systematic revision of *Jorunna* Bergh, 1876 (Nudibranchia: Discodorididae) with a morphological phylogenetic analysis. *Journal of Molluscan Studies*, 74(2), 143-181.
- Carbone, M., Gavagnin, M., Haber, M., Guo, Y. W., Fontana, A., Manzo, E., ... & Mollo, E. 2013. Packaging and delivery of chemical weapons: A defensive trojan horse stratagem in chromodorid nudibranchs. *PLoS One*, 8(4), e62075.
- Carmona, L., Bhave, V., Salunkhe, R., Pola, M., Gosliner, T. M., & Cervera, J. L. 2014. Systematic review of *Antaeaeolidiella* (Mollusca, Nudibranchia, Aeolidiidae) based on morphological and molecular data, with a description of three new species. *Zoological Journal of the Linnean Society*, 171(1), 108-132.
- Carmona, L., Pola, M., Gosliner, T. M., & Cervera, J. L. 2013. A tale that morphology fails to tell: a molecular phylogeny of Aeolidiidae (Aeolidida, Nudibranchia, Gastropoda). *PloS one*, 8(5), e63000.
- Carmona, L., Pola, M., Gosliner, T. M., & Cervera, J. L. 2014. Review of *Baeolidia*, the largest genus of Aeolidiidae (Mollusca: Nudibranchia), with the description of five new species. *Zootaxa*, 3802(4), 477-514.
- Cattanea-vietti, Riccardo., Angelini, S., Gaggero, L., & Lucchetti, G. (1995). Mineral composition of Nudibranch spicules. *Journal of Molluscan Studies*, 61(1), 1-10.
- Cheney, K. L., Cortesi, F., How, M. J., Wilson, N. G., Blomberg, S. P., Winters, A. E., Umanzör, N., Marshall, N. J. 2014. Conspicuous visual signals do not coevolve with increased body size in marine sea slugs. *Journal of evolutionary biology*, 27(4), 676-687.
- Cheney, K. L., White, A., Mudianta, I. W., Winters, A. E., Quezada, M., Capon, R. J., Mollo, E., Garson, M. J. 2016. Choose your weaponry: Selective storage of a single toxic compound, latrunculin A, by closely related nudibranch molluscs. *PLoS One*, 11(1), e0145134.
- Chichvarkhin, A. Y., Ekimova, I. A., Chalenko, K. P., Schepetov, D., Chichvarkhina, O. V., & Valdés, Á. A. 2016. *Placida babai* (Mollusca: Gastropoda: Sacoglossa) from Russian waters of the Sea of Japan. *The Bulletin of the Russian Far East Malacological Society* 2016, vol. 20, N 1, pp. 44-56.
- Christa, G., Zimorski, V., Woehle, C., Tiens, A. G., Wägele, H., Martin, W. F., & Gould, S. B. 2014. Plastid-bearing sea slugs fix CO<sub>2</sub> in the light but do not require photosynthesis to survive. *Proceedings of the Royal Society B: Biological Sciences*, 281(1774), 20132493.
- Churchill, C. K., Alejandrino, A., Valdés, Á., & Ó Foighil, D. 2013. Parallel changes in genital morphology delineate cryptic diversification of planktonic nudibranchs. *Proceedings of the Royal Society B: Biological Sciences*, 280(1798), 20130382.
- Churchill, C. K., Valdés, Á., & Foighil, D. Ó. 2014. Molecular and morphological systematics of neustonic nudibranchs (Mollusca: Gastropoda: Glaucomorphidae: Glauconus), with descriptions of three new cryptic species. *Invertebrate Systematics*, 28(2), 174-195.
- Ciavatta, M. L., Manzo, E., Mollo, E., Mattia, C. A., Tedesco, C., Irace, C., Guo, Y.-W., Li, X.-B., Cimino, G., Gavagnin, M. 2011. Tritoniopsins A-D, cladiellane-based diterpenes from the South China Sea nudibranch *Tritoniopsis elegans* and its prey Cladiella krempfi. *Journal of natural products*, 74(9), 1902-1907.
- Cimino, G., Crispino, A., Di Marzo, V., Gavagnin, M., & Ros, J. D. 1990. Oxytoxins, bioactive molecules produced by the marine opisthobranch mollusc *Oxynoe olivacea* from a diet-derived precursor. *Experientia*, 46, 767-770.
- Clark, K. B. 1975. Nudibranch life cycles in the Northwest Atlantic and their relationship to the ecology of fouling communities. *Helgoländer Wissenschaftliche Meeresuntersuchungen*, 27(1), 28-69.

- Conklin, E. J., & Mariscal, R. N. 1977. Feeding behavior, ceras structure, and nematocyst storage in the aeolid nudibranch, *Spurilla neapolitana* (Mollusca). Bulletin of Marine Science, 27(4), 658-667.
- Coppejans, E., Leliaert, F., Verbruggen, H., Prathee, A., & De Clerck, O. 2011. *Rhipidosiphon lewmanomontiae* sp. nov. (Bryopsidales, Chlorophyta), a calcified udoteacean alga from the central Indo-Pacific based on morphological and molecular investigations. Phycologia, 50(4), 403-412.
- Cortesi, F., & Cheney, K. L. 2010. Conspicuousness is correlated with toxicity in marine opisthobranchs. Journal of Evolutionary Biology, 23(7), 1509-1518.
- Cunha, T. J., Fernández-Simón, J., Petrula, M., Giribet, G., & Moles, J. 2023. Photographic checklist, DNA barcoding, and new species of sea slugs and snails from the Faafu Atoll, Maldives (Gastropoda: Heterobranchia and Vetigastropoda). Diversity, 15(2), 219.
- Dayrat, B. 2010. A monographic revision of basal Discodorid sea slugs: (Mollusca, Gastropoda, Nudibranchia, Doridina). California Academy of Sciences Special Publications, 75, 1-220.
- Dean, L. J., & Prinsep, M. R. 2017. The chemistry and chemical ecology of nudibranchs. Natural product reports, 34(12), 1359-1390.
- Dinapoli, A., & Klussmann-Kolb, A. 2010. The long way to diversity-phylogeny and evolution of the Heterobranchia (Mollusca: Gastropoda). Molecular phylogenetics and evolution, 55(1), 60-76.
- Eales, N. B., 1960. Revision of the world species of *Aplysia* (Gastropoda, Opisthobranchia). Bulletin of the British Museum (natural history) zoology 5 (10) 269-407.
- Ekimova, I. A., Mikhлина, A. L., Stanovova, M. V., Krupitskaya, N. R., Chichvarkhina, O. V., & Schepetov, D. M. 2023. Still Many to Be Named: An Integrative Analysis of the Genus *Dendronotus* (Gastropoda: Nudibranchia) in the North Pacific Revealed Seven New Species. Diversity, 15(2), 162.
- Ekimova, I. A., Vorobyeva, O. A., Mikhлина, A. L., Schepetov, D. M., Vortsepneva, E. V., Antokhina, T. I., & Malakhov, V. V. 2022. Nematocyst sequestration within the family Fionidae (Gastropoda: Nudibranchia) considering ecological properties and evolution. Frontiers in Zoology, 19(1), 29.
- Eliot, C. 1913. Japanese Nudibranchs. Journal of the College of Science, Imperial University of Tokyo 35.1 : 1-47.
- Elwood H. R.; Valdés Á.; Gosliner T. M. 2000. Two new species of Aldisa Bergh, 1878 (Mollusca, Nudibranchia) from the tropical Indo-Pacific. Proceedings of the California Academy of Sciences. (4) 52(14): 171-181
- Epstein, H. E., Hallas, J. M., Johnson, R. F., Lopez, A., & Gosliner, T. M. 2019. Reading between the lines: revealing cryptic species diversity and colour patterns in *Hypselodoris* nudibranchs (Mollusca: Heterobranchia: Chromodorididae). Zoological Journal of the Linnean Society, 186(1), 116-189.
- Evertsen, J., Bakken, T., & Green, S. 2004. Rediscovery of *Tenellia adspersa* (Nudibranchia) from the Finnish archipelago. Sarsia: North Atlantic Marine Science, 89(5), 362-365.
- Fan, X., Qiao, H., Xu, D., Cao, S., Zhang, X., Mou, S., Wang, Y., Ye, N. 2014. Short-term retention of kleptoplasty from a green alga (*Bryopsis*) in the sea slug *Placida* sp. YS001. Biologia, 69, 635-643.
- Feliciano, K., Malaquias, M. A. E., Stout, C., Brenzinger, B., Gosliner, T. M., & Valdés, Á. 2021. Molecular and morphological analyses reveal pseudocryptic diversity in *Micromelo undatus* (Bruguière, 1792) (Gastropoda: Heterobranchia: Aplustridae). Systematics and Biodiversity, 19(7), 834-858.
- 藤田経信. 1983. 相州三浦三崎近傍ノ隠鰐うみうし科. 動物学雑誌5:249-252.
- 福田宏. 2021. Biology and evolution of the Mollusca で提唱された軟体動物の分類体系と和名の対応. Molluscan Diversity, 6, 89-180.
- Galvão Filho, H. D. C. 2018. Taxonomy and Cladistic Analysis of Plakobranchidae (Gastropoda: Sacoglossa) (Doctoral dissertation, Universidade de São Paulo).

- Gavagnin, M., Mollo, E., Montanaro, D., Ortea, J., & Cimino, G. 2000. Chemical studies of Caribbean sacoglossans: dietary relationships with green algae and ecological implications. *Journal of Chemical Ecology*, 26, 1563-1578.
- Ghazali, S. R. 2006. Displays of defense: behavioral differences in antagonist avoidance in four opisthobranch mollusks. UC Berkeley Student Research.
- Giacobbe, S., & De Matteo, S. 2013. The potentially invasive opisthobranch *Polycera hedgpethi* Er. Marcus, 1964 (Gastropoda Nudibranchia), introduced in a Mediterranean coastal lagoon. *Biodiversity journal*, 4(2), 359-364.
- Golestani, H., Crocetta, F., Padula, V., Camacho-García, Y., Langeneck, J., Poursanidis, D., Pola, M., Yokes, M. B., Cervera, J. L., Jung, D., Gosliner, T. M., Araya, J. F., Hooker, Y., Schrödl, M., Valdes, A. 2019. The little *Aplysia* coming of age: from one species to a complex of species complexes in *Aplysia parvula* (Mollusca: Gastropoda: Heterobranchia). *Zoological Journal of the Linnean Society*, 187(2), 279-330.
- Goodheart, J., Camacho-García, Y., Padula, V., Schrödl, M., Cervera, J. L., Gosliner, T. M., & Valdés, Á. 2015. Systematics and biogeography of *Pleurobranchus* Cuvier, 1804, sea slugs (Heterobranchia: Nudipleura: Pleurobranchidae). *Zoological Journal of the Linnean Society*, 174(2), 322-
- Gordon, D. P., & Rudman, W. B. 2006. *Integripelta acanthus* n. sp. (Bryozoa: Eurystomellidae)—a tropical prey species of *Okenia hiroi* (Nudibranchia). *Zootaxa*, 1229(1), 41-48.
- Gosliner, T. M. 2002. Biodiversity, endemism, and evolution of opisthobranch gastropods on Indo-Pacific coral reefs. In *Proceedings of the Ninth International Coral Reef Symposium*, Bali, 23-27 October 2000, (Vol. 2, pp.
- Gosliner, T. M., & Draheim, R. 1996. Indo-Pacific opisthobranch gastropod biogeography: how do we know what we don't know?. *American Malacological Bulletin*, 12(1), 37-43.
- Gosliner, T. M., & Vallès, Y. 2006. Shedding light onto the genera (Mollusca: Nudibranchia) *Kaloplocamus* and *Plocamopherus* with description of new species belonging to these unique bioluminescent dorids. *Veliger*, 48(3), 178-
- Gosliner, T. M., & Willan, R. C. 1991. Review of the Flabellinidae (Nudibranchia: Aeolidacea) from the tropical Indo-Pacific, with the descriptions of five new species. *The Veliger*, 34(2), 97-133.
- Gosliner, T. M., Behrens, D. W., & Wicksten, M. 1990. Special resemblance, aposematic coloration and mimicry in opisthobranch gastropods. *Adaptive coloration in invertebrates*, 127-138.
- Gosliner, T. M.; Smith, V. G. 2003. Systematic review and phylogenetic analysis of the nudibranch genus *Melibe* (Opisthobranchia: Dendronotacea) with descriptions of three new species. *Proceedings of the California Academy of Sciences*. 4(54): 302-356.
- Greenwood, P. G., & Mariscal, R. N. 1984. The utilization of cnidarian nematocysts by aeolid nudibranchs: nematocyst maintenance and release in *Spurilla*. *Tissue and Cell*, 16(5), 719-730.
- Grishina, D. Y., Schepetov, D. M., & Ekimova, I. A. 2022. Hidden beauty of the north: a description of *Eubranchus scintillans* sp. n. (Gastropoda: Nudibranchia) from the Barents Sea and North-East Atlantic. *Invertebrate Zoology*, 19(4),
- Grzybowski, Y., Stemmer, K., & Waegele, H. 2007. On a new *Ercolania* Trinchese, 1872 (Opisthobranchia, Sacoglossa, Limapontiidae) living within Boergesenia Feldmann, 1950 (Cladophorales), with notes on anatomy, histology and biology. *Zootaxa*, 1577(1), 3-16.
- 波部忠重. 1949. ナギサノツユ属 *Oxynoe* 日本貝類群に加はる. *貝類学雑誌* 15(5-8):79-80.
- Hadfield, M. G. & Miller, S. E. 1987. On developmental patterns of Opisthobranchs. *American malacological bulletin*. 5(2): 197-214
- Hadfield, M. G. 1984. Settlement requirements of molluscan larvae: new data on chemical and genetic roles. *Aquaculture*, 39(1-4), 283-298.

- Hadfield, M. G., & Pennington, J. T. 1990. Nature of the metamorphic signal and its internal transduction in larvae of the nudibranch *Phestilla sibogae*. Bulletin of Marine Science, 46(2), 455-464.
- Hallas, J. M., Chichvarkhin, A., & Gosliner, T. M. 2017. Aligning evidence: concerns regarding multiple sequence alignments in estimating the phylogeny of the Nudibranchia suborder Doridina. Royal Society Open Science, 4(10),
- Hamatani, I. 1969. A new species of the rare shelled sacoglossan genus *Cylindrobulla* from middle Japan (Opisthobranchiata). Publications of the Seto Marine Biological Laboratory, 17(3), 171-174.
- Hamatani, I. 1972. A new species of *Volvatella* Pease, 1860, found in the "Caulerpan Microfauna" in the province of Kii, middle Japan (Opisthobranchia: Sacoglossa). Publications of the Seto Marine Biological Laboratory, 21(1), 13-
- Hamatani, I. 1980. On the species of the genus *Oxynoe* Rafinesque, 1819 from Japan, inclusive of a new species (Opisthobranchia: Ascoglossa). Publications of the Seto Marine Biological Laboratory, 25(5-6), 349-360.
- Hamatani, I. 1991. *Sohgenia palauensis* n. gen. & sp., a new ascoglossan opisthobranch from the Palau Islands collected by the R/V Sohgen-Maru. Venus (Japanese Journal of Malacology), 50(2), 85-91.
- Hamatani, I. 1994. A new species of *Mourgona* Marcus & Marcus, 1970, *M. osumi* n. sp. (Opisthobranchia: Ascoglossa), found in acetabularian microfauna from Amami-Oshima Island, Southwestern Japan. Venus (Japanese Journal of Malacology), 53(1), 21-27.
- Hamatani, I. 1995. Two species of Chromodorididae (Nudibranchia), one newly recorded and one newly established, from Middle Japan. Venus (Japanese Journal of Malacology), 54(2), 101-107.
- Hamatani, I., & Baba, K. 2004. A new record of *Aplysia* (*Varria*) *extraordinaria* (Allan, 1932) (Opisthobranchia: Anaspidea) from Suruga Bay, Japan. Venus (Journal of the Malacological Society of Japan), 62(3-4), 129-134.
- Hikosaka-Katayama, T., & Hikosaka, A. 濱戸内海産無腸動物 Praesagittifera naikaiensis の飼育システム. 広島大学大学院総合科学研究科紀要. I, 人間科学研究 10, 17-23.
- Hanson, D., Cooke, S., Hirano, Y., Malaquias, M. A., Crocetta, F., & Valdés, Á. 2013. Slipping through the cracks: the taxonomic impediment conceals the origin and dispersal of *Haminoea japonica*, an invasive species with impacts to human health. PloS one, 8(10), e77457.
- Harris, L. G. 1968. Notes on the biology and distribution of the aeolid nudibranch (Gastropoda), *Phestilla melanobrachia* Bergh, 1874. Publications of the Seto Marine Biological Laboratory, 16(3), 193-198.
- 林原信子, & 神尾道也. 2016. アマクサアメフラシおよびゾウアメフラシのインクと皮膚抽出物のイセエビに対する摂食阻害作用. 日本ベントス学会誌, 71(1), 11-16.
- Hirano, Y. 1999. Two new species of *Sakuraeolis* (Aeolidacea, Facelinidae) from Japan. Venus (Japanese Journal of Malacology), 58(4), 191-199.
- Hirano, Y. J. ; Hirano, Y. M. 1990. Feeding Segregation of *Eubranchus misakiensis* Baba, 1960 and *E. hori* Baba, 1960 (Nudibranchia: Aeolidacea) in the Okhotsk Sea, Northern Japan with Range Extensions for Both Species. VENUS (The Japanese Journals of Malacology). 49(2):146-149.
- Hirano, Y. J., Hirano, Y. M., & Trowbridge, C. D. 2006. Record of a common but cryptic sacoglossan, *Placida dagilarensis* Jensen, 1990, from Japan. Memoirs of the National Science Museum, Tokyo, 40, 283-294.
- 平野弥生・向井 宏. 2023. タマノミドリガイ *Berthelinia limax* (Kawaguti & Baba, 1959) 二枚の殻を持つ巻貝の発生と成長の記録. わだつみ No. 5: 30-33.
- Hirano, Y. M., Trowbridge, C. D., & Hirano, Y. J. 2013. Endophytophagy: A remarkable feeding mode. Venus. Journal of the Malacological Society of Japan
- Hirokane, Y., Miyamoto, A., Kitaura, J., Nakano, R., Hirano, Y. M., Kawane, M., & Yusa, Y. 2022. Phylogeny and evolution of functional chloroplast retention in sacoglossan sea slugs (Gastropoda: Heterobranchia). Organisms Diversity &

- Hirose, M., Hirose, E., & Kiyomoto, M. 2015. Identification of five species of *Dendrodoris* (Mollusca: Nudibranchia) from Japan, using DNA barcode and larval characters. *Marine Biodiversity*, 45, 769-780.
- Hori, S., & Fukuda, H. 1996. Opisthobranchia of Yamaguchi Prefecture, western Honshu, Japan-Part 1. Species of the Notaspidea, Nudibranchia, Dendronotacea, Arminacea, and Aeolidacea from the coast of the Japan Sea (1). *The Yuriyagai: Journal of the Malacozoological Association of Yamaguchi*, 4,
- Ichikawa, M. 1993. Saccoglossa (Opisthobranchia) from the Ryukyu Islands. *Publications of the Seto Marine Biological Laboratory*, 36(3), 119-139.
- Innabi, J., Stout, C. C., & Valdés, Á. 2023. Seven new “cryptic” species of Discodorididae (Mollusca, Gastropoda, Nudibranchia) from New Caledonia. *ZooKeys*, 1152, 45.
- 今原幸光. 2001a. ヤマトメリベの飼育下の行動観察とこれまでの発見記録 (1). *南紀生物*, 43(1),
- 今原幸光. 2001b. ヤマトメリベの飼育下の行動観察とこれまでの発見記録 (2). *南紀生物*, 43(2), 132-136.
- Ise, Y. 2017. Taxonomic review of Japanese sponges (Porifera). Species diversity of animals in Japan, 343-382.
- 磯崎雅夫. 1984. タマノミドリガイ. *臨海・臨湖(国立大学付属臨海・臨湖実験所技官研究会議機関誌)*No. 2: 9-12.
- 伊藤公一. 2013. 日本海西部海域但馬海岸で採集された裸殻翼足目について. *うみうし通信*
- 伊藤公一. 2015. 日本海西部海域の但馬海岸で確認されたニュウモデルマ科の1種キノサキハダカ力メガイ(新称). *VENUS* 73 (1-2):89-90.
- Jensen, K. R. 1980. A review of sacoglossan diets, with comparative notes on radular and buccal anatomy. *Malacological Review*, 13: 55-77
- Jensen, K. R. 1984. Defensive behavior and toxicity of ascoglossan opisthobranch *Mourgona germainae* Marcus. *Journal of chemical ecology*, 10,
- Jensen, K. R. 1985. Annotated checklist of Hong Kong Ascoglossa (Mollusca: Opisthobranchia), with descriptions of four new species . *The Malacofauna of Hong Kong and Southern China*. II 1 : 77-107.
- Jensen, K. R. 1992. Anatomy of some Indo-Pacific Elysiidae (Opisthobranchia: Sacoglossa (= Ascoglossa)), with a discussion of the generic division and phylogeny. *Journal of Molluscan Studies*, 58(3), 257-296.
- Jensen, K. R. 1997a. Evolution of the Sacoglossa (Mollusca, Opisthobranchia) and the ecological associations with their food plants. *Evolutionary Ecology*, 11(3), 301-335.
- Jensen, K. R. 1997b. Sacoglossa (Mollusca, Opisthobranchia) from the Houtman Abrolhos Islands and central Western Australia. *The Marine Flora and Fauna of the Houtman Abrolhos Islands, Western Australia*. Western Australian Museum, Perth, 307-333.
- Jensen, K. R. 1999. Collection, Preservation and Identification of Opisthobranch Molluscs. *Phuket Marine Biological Center Special Publication*.
- Jensen, K. R. 2001. Review of reproduction in the Sacoglossa (Mollusca, Opisthobranchi). *Bollettino malacologico* 37: 81-98.
- Jensen, K. R. 2007. Biogeography of the Sacoglossa (Mollusca, Opisthobranchia). *Bonner Zoologische Beiträge*, 55(3/4), 255-281.
- Jensen, K. R. 2009. Sacoglossa (Mollusca: Gastropoda: Opisthobranchia) from Singapore. *Raffles Bulletin of Zoology Supplement*, 22, 207-223.
- Jensen, K. R. 2015. Sacoglossa (Mollusca: Gastropoda: Heterobranchia) from northern coasts of Singapore. *Raffles Bulletin of Zoology*. supplement, 31,
- Jensen, K. R., Krug, P. J., Dupont, A., & Nishina, M. 2014. A review of taxonomy and phylogenetic relationships in the genus *Costasiella* (Heterobranchia: Sacoglossa), with a description of a new species. *Journal of Molluscan Studies*,
- Jensen, K.R. 1997. Systematics, phylogeny and evolution of the Sacoglossa (Mollusca, Opisthobranchia). *Zoologisk Museum, University of Copenhagen, Denmark* (1997):94pp

- Johnson, R. F., & Valdés, Á. 2001. The *Hypselodoris infucata*, *H. obscura* and *H. saintvincentius* species complex (Mollusca, Nudibranchia, Chromodorididae), with remarks on the genus *Brachychlanis* Ehrenberg, 1831. Journal of Natural History, 35(9), 1371-1398.
- Johnson, R. F., Gosliner, T. M. 2012. Traditional Taxonomic Groupings Mask Evolutionary History: A Molecular Phylogeny and New Classification of the Chromodorid Nudibranchs. PLoS ONE 7(4) :e33479
- Johnson, S. 1992. Cannibalism and mating in *Gymnodoris citrina* (Bergh, 1877). Hawaiian Shell News, 40(20), 3-6.
- Jörger, K. M., Stöger, I., Kano, Y., Fukuda, H., Knebelsberger, T., & Schrödl, M. 2010. On the origin of Acochlidia and other enigmatic euthyneuran gastropods, with implications for the systematics of Heterobranchia. BMC evolutionary biology, 10, 1-20.
- 加戸隆介, & 平野礼次郎. 1979. 付着生物浮遊期幼生の飼育法. 付着生物研究, 1(1), 11-19.
- 柏尾翔, 川瀬基弘, 鵜飼普, 大矢美紀, & 西浩孝. 2023. 愛知県南知多町の潮間帯に生息するウミウシ類 II (頭楯目, アメフラシ目, 囊舌目). なごやの生物多様性, 10, 27-45.
- 柏尾翔, 川瀬基弘, 鵜飼普, 大矢美紀, 西浩孝, & 浅田要. 2021. 愛知県南知多町の潮間帯に生息するウミウシ類 I (裸鰓目). なごやの生物多様性, 8, 1-22.
- 柏尾翔, & 田中広樹. 2021. 外来種ミノウミウシ *Trinchesia perca* (Marcus, 1958) の形態・生態学的知見, および日本国内における分布について. ちりばたん: 日本貝類学会研究連絡誌: newsletter of the Malacological Society of Japan, 52(1), 30-43.
- 川口四郎. 1983. 二殻腹足類ユリヤガイ. 川崎医療短期大学紀要, (2), 93-100.
- Kawaguti, S., Baba, K. 1959. A preliminary note on a two-valved sacoglossan gastropod, *Tamanovalva limax* n. gen., n. sp., from Tamano, Japan. Biological Journal of Okayama University, 5, 177.
- Kawaguti, S. 1959. Formation of the bivalve shell in a gastropod, *Tamanovalva limax*. Proceedings of the Japan Academy, 35(10), 607-611.
- Khor, S. 2014. Investigating Diet as the Source of Tetrodotoxin in the Grey Side-gilled Sea Slug, *Pleurobranchaea maculata* (Doctoral dissertation, University of Waikato).
- Kicklighter, C. E., & Derby, C. D. 2006. Multiple components in ink of the sea hare *Aplysia californica* are aversive to the sea anemone *Anthopleura sola*. Journal of Experimental Marine Biology and Ecology, 334(2), 256-268.
- Kicklighter, C. E., Germann, M., Kamio, M., & Derby, C. D. 2007. Molecular identification of alarm cues in the defensive secretions of the sea hare *Aplysia californica*. Animal Behaviour, 74(5), 1481-1492.
- Kicklighter, C. E., Shabani, S., Johnson, P. M., & Derby, C. D. 2005. Sea hares use novel antipredatory chemical defenses. Current Biology, 15(6), 549-554.
- 木元伸彦, 世界のウミウシ, <https://seaslug.world>, 2023年8月30日閲覧
- 北尾耕二, & 波部忠重. 1982. 後鰓類スジナツメガイとニヨリキセワタガイの分類学上の位置. 貝類学雑誌, 41(1), 61-63.
- Knutson, V. L., Gosliner, T. M., & Williams, G. C. 2011. Three new species of *Gymnodoris* Stimpson, 1855 (Opisthobranchia: Nudibranchia) from Philippines. The coral triangle: The, 129-142.
- Kocot, K. M., Halanych, K. M., & Krug, P. J. 2013. Phylogenomics supports Panpulmonata: Opisthobranch paraphyly and key evolutionary steps in a major radiation of gastropod molluscs. Molecular Phylogenetics and Evolution, 69(3), 764-771.
- Kriegstein, A. R., Castellucci, V., & Kandel, E. R. 1974. Metamorphosis of *Aplysia californica* in laboratory culture. Proceedings of the National Academy of Sciences, 71(9), 3654-3658.
- 倉持敦子, & 倉持卓司. 2010. 相模湾産ブドウガイにおいて観察された孵化形態の多型. 神奈川自然誌資料, 2010(31), 9-12.
- 黒田徳米. (1928). 奄美大島産貝類目録. (No Title).

- Krug, P. J. 2001. Bet-hedging dispersal strategy of a specialist marine herbivore: a settlement dimorphism among sibling larvae of *Alderia modesta*. *Marine Ecology Progress Series*, 213, 177-192.
- Krug, P. J. 2009. Not my “type”: larval dispersal dimorphisms and bet-hedging in opisthobranch life histories. *The Biological Bulletin*, 216(3), 355-372.
- Krug, P. J., Berriman, J. S., & Valdés, Á. 2018. Phylogenetic systematics of the shelled sea slug genus *Oxynoe* Rafinesque, 1814 (Heterobranchia: Sacoglossa), with integrative descriptions of seven new species. *Invertebrate Systematics*, 32(4), 950-1003.
- Krug, P. J., Caplins, S. A., Algoso, K., Thomas, K., Valdés, Á. A., Wade, R., Wong, N. L. W. S., Eernisse, D.J., Kocot, K. M. 2022. Phylogenomic resolution of the root of Panpulmonata, a hyperdiverse radiation of gastropods: new insight into the evolution of air breathing. *Proceedings of the Royal Society B*, 289(1972), 20211855.
- Krug, P. J., Vendetti, J. E., Rodriguez, A. K., Retana, J. N., Hirano, Y. M., & Trowbridge, C. D. 2013. Integrative species delimitation in photosynthetic sea slugs reveals twenty candidate species in three nominal taxa studied for drug discovery, plastid symbiosis or biological control. *Molecular phylogenetics and evolution*, 69(3), 1101-1119.
- Kumari, S., Thadani, J., Sreenath, K. R., & Koya, M. 2015. Record of striped paper bubble shell, *Hydatina physis* (Linnaeus, 1758), from Indian waters. *Marine Biodiversity Records*, 8, e4.
- Kunihiro, S., & Reimer, J. D. 2018. Phylogenetic analyses of *Symbiodinium* isolated from *Waminoa* and their anthozoan hosts in the Ryukyu Archipelago, southern Japan. *Symbiosis*, 76(3), 253-264.
- Kunihiro, S., Farenzena, Z., Hoeksema, B. W., Groenemberg, D. S., Hermanto, B., & Reimer, J. D. 2019. Morphological and phylogenetic diversity of *Waminoa* and similar flatworms (Acoelomorpha) in the western Pacific Ocean. *Zoology*, 136,
- Layton, K. K., Gosliner, T. M., & Wilson, N. G. 2018. Flexible colour patterns obscure identification and mimicry in Indo-Pacific *Chromodoris* nudibranchs (Gastropoda: Chromodorididae). *Molecular Phylogenetics and Evolution*, 124,
- Lee, C. H., Kaang, B. K., & Lee, Y. D. 2014. Spawning behavior and egg development of *Aplysia kurodai* inhabiting the coastal waters of Jeju Island, Korea. *Development & Reproduction*, 18(1), 25.
- Lee, C. H., Kaang, B. K., & Lee, Y. D. 2015. Structure and function of the reproductive system of *Aplysia kurodai*. *Development & Reproduction*, 19(4),
- Lynford, A. H. 2023. Advanced Aquarist Evaluation of Coral Rx. *Advanced Aquarist Evaluation of Coral Rx*.
- Macnae, W. 1958. The families Polyceridae and Goniodorididae (Mollusca, Nudibranchiata) in southern Africa. *Transactions of the Royal Society of South Africa*, 35(4), 341-372.
- Maeda, T., Hirose, E., Chikaraishi, Y., Kawato, M., Takishita, K., Yoshida, T., Verbruggen, H., Tanaka, J., Shimamura, S., Takaki, Y., Tsuchiya, M., Iwai, K., Maruyama, T. 2012. Algivore or phototroph? *Plakobranchus ocellatus* (Gastropoda) continuously acquires kleptoplasts and nutrition from multiple algal species in nature. *PLoS ONE* 7(7): e42024.
- Maeda, T., Takahashi, S., Yoshida, T., Shimamura, S., Takaki, Y., Nagai, Y., Toyoda, A., Suzuki, Y., Arimoto, A., Ishii, H., Satoh, N., Nishiyama, T., Hasebe, M., Maruyama, T., Minagawa, J., Obokata, J., Shigenobu, S. 2021. Chloroplast acquisition without the gene transfer in kleptoplastic sea slugs, *Plakobranchus*
- Malaquias, M. A. E., & Reid, D. G. 2008. Systematic revision of the living species of Bullidae (Mollusca: Gastropoda: Cephalaspidea), with a molecular phylogenetic analysis. *Zoological Journal of the Linnean Society*, 153(3), 453-
- Malaquias, M. A. E., Berecibar, E., & Reid, D. G. 2009. Reassessment of the trophic position of Bullidae (Gastropoda: Cephalaspidea) and the importance of diet in the evolution of cephalaspidean gastropods. *Journal of Zoology*, 277(1),

- Marín, A., & Ros, J. 2004. Chemical defenses in Sacoglossan Opisthobranchs: Taxonomic trends and evolutionary implications. *Scientia Marina*, 68(S1), 227-
- Martynov, A., Mehrotra, R., Chavanich, S., Nakano, R., Kashio, S., Lundin, K., ... & Korshunova, T. 2019. The extraordinary genus *Myja* is not a tergipedid, but related to the Facelinidae s. str. with the addition of two new species from Japan (Mollusca, Nudibranchia). *ZooKeys*, (818), 89.
- Matsuda, S. B., & Gosliner, T. M. 2018. Glossing over cryptic species: Descriptions of four new species of *Glossodoris* and three new species of *Doriprismatica* (Nudibranchia: Chromodorididae). *Zootaxa*, 4444(5), 501-529.
- Matsuda, S. B., & Gosliner, T. M. 2018. Molecular phylogeny of *Glossodoris* (Ehrenberg, 1831) nudibranchs and related genera reveals cryptic and pseudocryptic species complexes. *Cladistics*, 34(1), 41-56.
- McCarthy, J. B., Krug, P. J., & Valdés, Á. 2019. Integrative systematics of *Placida cremoniana* (Trinchese, 1892) (Gastropoda, Heterobranchia, Sacoglossa) reveals multiple pseudocryptic species. *Marine Biodiversity*, 49,
- McDonald, G. R., & Nybakken, J. W. 1997. List of the worldwide food habits of nudibranchs. *Veliger*, 40(2).
- McNabb, P., Selwood, A. I., Munday, R., Wood, S. A., Taylor, D. I., MacKenzie, L. A., Ginkel, R., Rhodes, L. L., Cornelisen, C., Heasman, K., Holland, P. T., King, C. 2010. Detection of tetrodotoxin from the grey side-gilled sea slug-*Pleurobranchaea maculata*, and associated dog neurotoxicosis on beaches adjacent to the Hauraki Gulf, Auckland, New Zealand. *Toxicon*, 56(3), 466-473.
- Medrano, S., Krug, P. J., Gosliner, T. M., Kumar, A. B., & Valdés, Á. 2019. Systematics of *Polybranchia* Pease, 1860 (Mollusca: Gastropoda: Sacoglossa) based on molecular and morphological data. *Zoological Journal of the Linnean Society*, 186(1), 76-115.
- Megina, C., Carballo, J. L., Cervera, J. L., & García-Gómez, J. C. 2002. The diet of *Platydoris argo* (Gastropoda: Nudibranchia) and the dietary specialization of sponge eating dorids. *Journal of Molluscan Studies*, 68(2), 173-179.
- Megina, C., Gosliner, T., & Cervera, J. L. 2007. The use of trophic resources by a generalist eolid nudibranch *Hermisenda crassicornis* (Mollusca: Gastropoda). *Cahiers de biologie marine*, 48(1), 1.
- Mehrotra, R., Gutierrez, M. C., Scott, C. M., Arnold, S., Monchanin, C., & Chavanich, S. 2020. On the Plakobranchidae (Gastropoda, Sacoglossa) from soft sediment habitats of Koh Tao, Gulf of Thailand, with descriptions of two new species. *ZooKeys*, 969, 85.
- Meyers-Muñoz, M. A., van der Velde, G., van der Meij, S. E., Stoffels, B. E., van Alen, T., Tuti, Y., & Hoeksema, B. W. 2016. The phylogenetic position of a new species of *Plakobranchus* from West Papua, Indonesia (Mollusca, Opisthobranchia, Sacoglossa). *ZooKeys*, (594), 73.
- Miller, M. C. 2001. Descriptions of the dorid nudibranchs *Polycera hedgpethi* Marcus, 1964 and *P. fujitai* Baba, 1937 in New Zealand (Gastropoda: Opisthobranchia). *Journal of Molluscan Studies*, 67(4), 491-499.
- Miller, S. E., & Hadfield, M. G. 1986. Ontogeny of phototaxis and metamorphic competence in larvae of the nudibranch *Phestilla sibogae* Bergh (Gastropoda: Opisthobranchia). *Journal of Experimental Marine Biology and Ecology*, 97(1), 95-112.
- Moles, J., Wägele, H., Cutignano, A., Fontana, A., Ballesteros, M., & Avila, C. 2017. Giant embryos and hatchlings of Antarctic nudibranchs (Mollusca: Gastropoda: Heterobranchia). *Marine Biology*, 164, 1-13.
- 中野理枝. 2011. 高知県大月町西泊海域から記録された後鰓類. *Kuroshio Biosphere* 7:1-35
- 中野理枝. 2012. 高知県大月町西泊海域から記録された後鰓類 補遺. *Kuroshio Biosphere*
- 中野理枝・朝倉知子・池田紫・石川雅教・今本淳・岩瀬南美・西田和記・堀江諒・山田久子・渡井久美. 2017. 奄美大島北部海域における後鰓類相の調査報告. *Kuroshio Biosphere* 13: 1-18.

- Nakano, R., Tanaka, K., Dewa, S., Takasaki, K., & Ono, A. 2007. Field observations on the feeding of the nudibranch *Gymnodoris* spp. in Japan.
- 那須田樹. 2002. ホウズキフシエラガイの繁殖. 能登の海からのたよりNo.45,8.
- Nimbs, M. J. 2020. The taxonomy and systematics of the Australian Aplysiidae (Mollusca: Gastropoda) (Doctoral dissertation, Southern Cross University).
- 西村和久, & 手塚芳治. 2000. 三宅島産コンシボリガイについて. ちりばたん, 31(3), 67-68.
- Nusnbaum, M., & Derby, C. D. 2010. Effects of sea hare ink secretion and its escapin-generated components on a variety of predatory fishes. The Biological Bulletin, 218(3), 282-292.
- Nybakken, J. 1981. Feeding mechanisms of west American nudibranchs feeding on Bryozoa, Cnidaria and Ascidiacea, with special respect to the radula. Malacologia, 20(2), 439-449.
- 小川数也. 2001. 日本産カイメン類種名目録 (3) 尋常カイメン類 (1). 南紀生物, 43(1), 63-71.
- 小川数也. 2002. 日本産カイメン類種名目録 (3) 尋常カイメン類 (2). 南紀生物, 44(2), 157-
- 小川数也. 2003. 日本産カイメン類種名目録 (3) 尋常カイメン類 (3). 南紀生物, 45(2), 120-
- 大阪湾ウミウシ観察会. 2024. 大阪湾南東部沿岸域におけるウミウシ類の観察記録(2015~2022年). Bulletin of the Osaka Museum of Natural History, No. 78. pp. 69-81.
- 大隅大・弥益輝文. 2000. ハゼ科魚類の鰓に見つかる裸鰓類スミゾメキヌハダウミウシの摂餌行動と初期発生. 日本ベントス学会誌, 55, 9-14.
- 太田悠造. 2023. 鳥取県東部城原海岸沖におけるウミウシ類の季節動態. 人と自然, 33, 65-74.
- Ortea, J. 2022. Una nueva especie del género *Doto* Oken, 1815, (Gastropoda: Heterobranchia), de la isla de Martinica dedicada al Concejo de Cangas del Narcea, Asturias. Avicennia 30: 1-6.
- Ortea, J., Moro, L. 2022a. Una nueva especie del género *Noumeaella* Risbec, 1937 (Mollusca: Nudibranchia) de las islas de Cabo Verde, dedicada al concejo de Oviedo y a su capital. Avicennia 29: 67-70.
- Ortea, J., Moro, L. 2022b. Un nuevo género y una nueva especie de las islas de Cabo Verde (Mollusca: Nudibranchia) dedicados a su primer cartógrafo y al voluntariado, un fenómeno social del siglo XXI que ha hecho posible la recuperación de las tartarugas marinas en el archipiélago. Avicennia 30: 47-54.
- Ortea, J., Moro, L. 2023. Descripción de una nueva familia, género y especie de Phyllidoidea Rafinesque, 1814 (Nudibranchia), de las islas de Cabo Verde, discutiendo la validez de dos especies mediterráneas de *Doriopsilla* Bergh, 1898. Avicennia 32: 47-56.
- Ortiz, D. M., & Gosliner, T. M. 2008. Preliminary phylogeny of the facelinid nudibranch genus *Phylloidesmium* Ehrenberg, 1831. The Veliger. 50(1):1-23.
- Ostergaard, J. M. 1955. Some opisthobranchiate Mollusca from Hawaii.
- Papu, A., Bogdanov, A., Bara, R., Kehraus, S., König, G. M., Yonow, N., & Wägele, H. 2022. Phyllidiidae (Nudibranchia, Heterobranchia, Gastropoda): an integrative taxonomic approach including chemical analyses. Organisms Diversity & Evolution, 22(3), 585-629.
- Pawlak, J. R., Kernan, M. R., Molinski, T. F., Harper, M. K., & Faulkner, D. J. 1988. Defensive chemicals of the Spanish dancer nudibranch *Hexabranchus sanguineus* and its egg ribbons: macrolides derived from a sponge diet. Journal of Experimental Marine Biology and Ecology, 119(2), 99-109.
- Paz-Sedano, S., Moles, J., Smirnoff, D., Gosliner, T. M., & Pola, M. 2024. A combined phylogenetic strategy illuminates the evolution of Goniodorididae nudibranchs (Mollusca, Gastropoda, Heterobranchia). Molecular Phylogenetics and Evolution, 192, 107990.
- Penney, B. K. 2013. How specialized are the diets of Northeastern Pacific sponge-eating dorid nudibranchs?. Journal of Molluscan Studies, 79(1), 64-73.
- Pola, M., Cervera, J. L., & Gosliner, T. M. 2005. Four new species of *Tambja* burn, 1962 (Nudibranchia: Polyceridae) from the Indo-Pacific. Journal of Molluscan Studies, 71(3), 257-267.

- Pola, M., Cervera, J. L., & Gosliner, T. M. 2006. Taxonomic revision and phylogenetic analysis of the genus *Tambja* Burn, 1962 (Mollusca, Nudibranchia, Polyceridae). *Zoologica Scripta*, 35(5), 491-530.
- Pola, M., Cervera, J. L., & Gosliner, T. M. 2008. Revision of the Indo-Pacific genus *Nembrotha* (Nudibranchia: Dorididae: Polyceridae), with a description of two new species. *Scientia Marina*, 72(1), 145-183.
- Proksch, P. 1994. Defensive roles for secondary metabolites from marine sponges and sponge-feeding nudibranchs. *Toxicon*, 32(6), 639-655.
- Putz, A., König, G. M., & Wägele, H. 2010. Defensive strategies of Cladobranchia (Gastropoda, Opisthobranchia). *Natural Product Reports*, 27(10), 1386-1402.
- REID, J. D. 1964. The reproduction of the sacoglossan opisthobranch *Elysia maoria*. In Proceedings of the Zoological Society of London (Vol. 143, No. 3, pp. 365-393). Oxford, UK: Blackwell Publishing Ltd.
- Rivest, B. R. 1984. Copulation by hypodermic injection in the nudibranchs *Palio zosterae* and *P. dubia* (Gastropoda, Opisthobranchia). *The Biological Bulletin*, 167(3), 543-554.
- Roginskaya, I. S. 1970. *Tenellia adspersa*, a nudibranch new to the Azoy Sea with notes on its taxonomy and ecology. *Malacological Review*, 1970, 3; 167-
- Rudman, W. B. 1982. The taxonomy and biology of further aeolidacean and arminacean nudibranch molluscs with symbiotic zooxanthellae. *Zoological Journal of the Linnean Society*, 74(2), 147-196.
- Rudman, W. B. 1984. The Chromodorididae (Opisthobranchia: Mollusca) of the Indo-West Pacific: a review of the genera. *Zoological Journal of the Linnean Society*, 81(2-3), 115-273.
- Rudman, W. B. 1986. The Chromodorididae (Opisthobranchia: Mollusca) of the Indo-West Pacific: the genus *Glossodoris* Ehrenbergh (= Casella, H. & A. Adams). *Zoological Journal of the Linnean Society*, 86(2), 101-184.
- Rudman, W. B. 1988. The Chromodorididae (Opisthobranchia: Mollusca) of the Indo-West Pacific: the genus *Ceratosoma* JE Gray. *Zoological journal of the Linnean Society*, 93(2), 133-185.
- Rudman, W. B. 1991. Further studies on the taxonomy and biology of the octocoral-feeding genus *Phylloidesmium* Ehrenberg, 1831 (Nudibranchia: Aeolidoidea). *Journal of Molluscan Studies*, 57(2), 167-203.
- 相良剛史, 谷山茂人, & 江戸梢. 2007. 軟体動物ウミフクロウの毒性について. 四国大学紀要. Ser. B, 自然科学編/四国大学紀要委員会編, (24), 9-12.
- Schlesinger, A., Goldshmid, R., Hadfield, M. G., Kramarsky-Winter, E., & Loya, Y. 2009. Laboratory culture of the aeolid nudibranch *Spurilla neapolitana* (Mollusca, Opisthobranchia): life history aspects. *Marine Biology*, 156, 753-
- Schmitt, V., Anthes, N., & Michiels, N. K. 2007. Mating behaviour in the sea slug *Elysia timida* (Opisthobranchia, Sacoglossa): hypodermic injection, sperm transfer and balanced reciprocity. *Frontiers in Zoology*, 4, 1-9.
- Schultz, S. T., Goddard, J. H., Gosliner, T. M., Mason, D. E., Pence, W. E., McDonald, G. R., Pearse, V. B., Pearse, J. S. 2011. Climate-index response profiling indicates larval transport is driving population fluctuations in nudibranch gastropods from the northeast Pacific Ocean. *Limnology and*
- Siegwald, J., Oskars, T. R., Kano, Y., & Malaquias, M. A. E. 2022. A global phylogeny of the deep-sea gastropod family Scaphandridae (Heterobranchia: Cephalaspidea): Redefinition and generic classification. *Molecular Phylogenetics and Evolution*, 169, 107415.
- Soong, G. Y., Bonomo, L. J., Reimer, J. D., & Gosliner, T. M. 2022. Battle of the bands: systematics and phylogeny of the white *Goniobranchus* nudibranchs with marginal bands (Nudibranchia, Chromodorididae). *ZooKeys*, 1083, 169.
- Stoffels, B. E., van der Meij, S. E., Hoeksema, B. W., van Alphen, J., van Alen, T., Meyers-Muñoz, M. A., de Voogd, N.J., Tuti, Y., van der Velde, G. 2016. Phylogenetic relationships within the Phyllidiidae (Opisthobranchia, Nudibranchia). *ZooKeys*, (605), 1.

- 鈴木淳志. 2005. オホーツク海ウトロ沿岸での裸殻翼足類タルガタハダカカメガイ *Cliopsis krohnii* の採集記録. ちりぼたん, 35(4), 130-131.
- 鈴木淳志, 宮野裕希, & 馬渡恵子. 2005. オホーツク海網走周辺海域で採集される裸殻翼足類ハダカカメガイ (*Clione limacina* Phipps) の生物学的特徴. ちりぼたん: 日本貝類学会研究連絡誌: newsletter of the Malacological Society of Japan, 36(1), 12-17.
- Switzer-Dunlap, M., & Hadfield, M. G. 1977. Observations on development, larval growth and metamorphosis of four species of Aplysiidae (Gastropoda: Opisthobranchia) in laboratory culture. Journal of Experimental Marine Biology and Ecology, 29(3), 245-261.
- 高野剛史. 2017. 日本近海でみられる”コノハミドリガイ”は單一種か?. 季刊うみうし4(1):2-3.
- Takano, T., Hirano, Y. M., Trowbridge, C. D., Hirano, Y. J., & Watano, Y. 2013. Taxonomic clarification in the genus *Elysia* (Gastropoda: Sacoglossa): *E. atroviridis* and *E. setoensis*. American Malacological Bulletin, 31(1), 25-37.
- 瀧巖. 1930. 貝類雑記(2).The VENUS 2(3):51-61.
- 瀧巖. 1932. 貝類雑記(4).The VENUS 3(4):206-216.
- Thompson, T. E. 1958. The natural history, embryology, larval biology and post-larval development of *Adalaria proxima* (Alder and Hancock) (Gastropoda Opisthobranchia). Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences, 242(686), 1-58.
- Thompson, T. E. 1960. Defensive adaptations in opisthobranchs. Journal of the Marine Biological Association of the United Kingdom, 39(1), 123-134.
- Thompson, T. E. 1966. Studies on the reproduction of *Archidoris pseudoargus* (Rapp) (Gastropoda Opisthobranchia). Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences, 250(769), 343-374.
- Thompson, T. E., & Seaward, D. R. 1989. Ecology and taxonomic status of the aplysiomorph *Akera bullata* in the British Isles. Journal of molluscan studies, 55(4), 489-496.
- Tibiriçá, Y., Pola, M., Pittman, C., Gosliner, T. M., Malaquias, M. A., & Cervera, J. L. 2023. A Spanish dancer? No! A troupe of dancers: a review of the family Hexabranchidae Bergh, 1891 (Gastropoda, Heterobranchia, Nudibranchia) A troupe of Spanish dancer. Organisms Diversity & Evolution, 23(4), 697-742.
- Todd, C. D. 1981. The ecology of nudibranch molluscs. Oceanography and Marine Biology 19: 141-234
- Todd, C. D. 1983. Reproductive and trophic ecology of nudibranch molluscs. The Mollusca Vol. 6 Ecology, 225-259.
- Todd, C. D., & Doyle, R. W. 1981. Reproductive strategies of marine benthic invertebrates: a settlement-timing hypothesis. Mar. Ecol. Prog. Ser, 4(7), 75-
- Tokioka, T., & Baba, K. 1964. Four new species and a new genus of the family Gastropteridae from Japan (Gastropoda: Opisthobranchia). Publications of the Seto Marine Biological Laboratory, 12(3), 201-229.
- Too, C. C., Carlson, C., Hoff, P. J., & Malaquias, M. A. E. 2014. Diversity and systematics of Haminoeidae gastropods (Heterobranchia: Cephalaspidea) in the tropical West Pacific Ocean: new data on the genera Aliculastrum, Atys, Diniatys and Liloa. Zootaxa, 3794(3), 355-392.
- Trowbridge, C. D. 1991. Diet specialization limits herbivorous sea slug's capacity to switch among food species. Ecology, 72(5), 1880-1888.
- Trowbridge, C. D. 1994a. Defensive responses and palatability of specialist herbivores: predation on NE Pacific ascoglossan gastropods. Marine Ecology-Progress Series, 105, 61-61.
- Trowbridge, C. D. 1994b. Life at the edge: population dynamics and salinity tolerance of a high intertidal, pool-dwelling ascoglossan opisthobranch on New Zealand rocky shores. Journal of experimental marine biology and ecology, 182(1), 65-84.

- Trowbridge, C. D., & Todd, C. D. 2001. Host-plant change in marine specialist herbivores: ascoglossan sea slugs on introduced macroalgae. *Ecological monographs*, 71(2), 219-243.
- Trowbridge, C. D., Hirano, Y. J., & Hirano, Y. M. 2010. Sacoglossan opisthobranchs on northwestern Pacific shores: *Stiliger berghi* Baba, 1937, and *Elysia* sp. on filamentous red algae. *Veliger*, 51(1), 43.
- Trowbridge, C. D., Hirano, Y. M., Hirano, Y. J., Nishida, K., & Sudo, K. 2011. North-west Pacific sacoglossan guild associated with filamentous green algae (Family Cladophoraceae and Family Boodleaceae). *Marine Biodiversity Records*, 4, 1-6.
- Trowbridge, C. D., Hirano, Y. M., Hirano, Y. J., Sudo, K., Shimadu, Y., Watanabe, T., Yorifuji, M., Maeda, T., Anetai, Y., Kumagai, K. 2010. Subtropical sacoglossans in Okinawa—at “special risk” or “predictably rare”? *American Malacological Bulletin*, 28(2), 167-181.
- 坪川涼子. 1992. 日本産 *Pleurobranchaea* 属 (腹足綱, 後鰓亜綱, 背楯目) 2 種の分類について. *貝類学雑誌*, 50(4), 249-263.
- 宇井晋介. 2000a. ヤマトメリベの飼育 その1.マリンパビリオン29(6):32-33.
- 宇井晋介. 2000b. ヤマトメリベの飼育 その2.マリンパビリオン29(7):38-39.
- Usuki, I. 1966a. The life cycle of *Haloa japonica* (Pilsbry) I. The larval development. *Science Reports of Niigata University-D. Biology*, 3, 87-105.
- Usuki, I. 1966b. The life cycle of *Haloa japonica* (Pilsbry) II. Spawning and growth. *Science Reports of Niigata University-D. Biology*, 3, 107-121.
- Usuki, I. 1977. Effects of food algae on the nutrition of *Ercolania boodleae* (Baba), (Opisthobranchia, Gastropoda). *Japanese Journal of Ecology*, 27(2), 103-110.
- 上野大輔. 2020. わが国近海に産する軟体動物門に共生するカイアシ亜綱 (甲殻亜門) の目録. タクサ: 日本動物分類学会誌, 49, 23-44.
- Uyeno, D., & Hirose, E. 2018. *Lomanoticola nishiharai* n. sp., a new species of copepod parasitic on the facelinid nudibranch, *Sakuraeolis enosimensis* (Baba, 1930), from the Seto Inland Sea, western Japan, including histological observations of the female lateral body process. *Zoological science*, 35(4), 1-6.
- Uyeno, D., & Nagasawa, K. 2012. Four new species of splanchnotrophid copepods (Poecilostomatoida) parasitic on doridacean nudibranchs (Gastropoda, Opistobranchia) from Japan, with proposition of one new genus.
- Uyeno, D., Kohtsuka, H., & Maeno, A. 2021. *Ceratosomicola oki* n. sp., a New Species of Copepod (Cyclopoida: Splanchnotrophidae) Parasitic on the Chromodoridid Nudibranch *Glossodoris misakinosibogae* Baba, 1988 Off the Oki Islands, Japan, with Microanatomical Observation Using Micro-CT. *Zoological science*, 39(1), 115-123.
- Valdes, A. 2002. Review of the genus *Actinocyclus* Ehrenberg, 1831 (Ophisthobranchia: Doridoidea). *VELIGER-BERKELEY-*, 45(3), 193-202.
- Valdes, A. 2003. Preliminary molecular phylogeny of the radula-less dorids (Gastropoda: Opistobranchia), based on 16S mtDNA sequence data. *Journal of Molluscan Studies*, 69(1), 75-80.
- Van Alphen, J., de Voogd, N. J., & Hoeksema, B. W. 2011. Differential feeding strategies in phyllidiid nudibranchs on coral reefs at Halmahera, northern Moluccas. *Coral Reefs*, 30(1), 59-59.
- van den Berg, C. P., Endler, J. A., & Cheney, K. L. 2022. Highly defended nudibranchs do not ‘escape’ to visually diverse background habitats. *BioRxiv*, 2022-12.
- Vendetti, J. E., Trowbridge, C. D., & Krug, P. J. 2012. Poecilogony and population genetic structure in *Elysia pusilla* (Heterobranchia: Sacoglossa), and reproductive data for five sacoglossans that express dimorphisms in larval development. *Integrative and Comparative Biology*, 52(1), 138-150.

- Vendetti, J. E., Trowbridge, C. D., & Krug, P. J. 2012. Poecilogony and population genetic structure in *Elysia pusilla* (Heterobranchia: Sacoglossa), and reproductive data for five sacoglossans that express dimorphisms in larval development. *Integrative and Comparative Biology*, 52(1), 138-150.
- Wägele, H. 2004. Potential key characters in Opisthobranchia (Gastropoda, Mollusca) enhancing adaptive radiation. *Organisms Diversity & Evolution*, 4(3), 175-188.
- Wägele, H., & Willan, R. C. 2000. Phylogeny of the Nudibranchia. *Zoological Journal of the Linnean Society*, 130(1), 83-181.
- Wägele, H., Ballesteros, M., & Avila, C. 2006. Defensive glandular structures in opisthobranch molluscs-from histology to ecology. *Oceanography and marine biology*, 44, 197.
- Wägele, H., Stemmer, K., Burghardt, I., & Haendeler, K. 2010. Two new sacoglossan sea slug species (Opisthobranchia, Gastropoda): *Ercolania annelyleorum* sp. nov. (Limapontoidea) and *Elysia asbecki* sp. nov. (Plakobranchoidea), with notes on anatomy, histology and biology. *Zootaxa*, 2611(1), 1-11.
- Wägele, H., Vonnemann, V., & Rudman, W. B. 2006. *Umbraculum umbraculum* (Lightfoot, 1786) (Gastropoda, Opisthobranchia, Tylodinoidea) and the synonymy of *U. mediterraneum* (Lamarck, 1812). *Records of the Western Australian Museum, Supplement*, 69, 69-82.
- Wagner, D., Kahng, S. E., & Toonen, R. J. 2009. Observations on the life history and feeding ecology of a specialized nudibranch predator (*Phyllodesmium poindimiei*), with implications for biocontrol of an invasive octocoral (*Carijoa riisei*) in Hawaii. *Journal of Experimental Marine Biology and Ecology*, 372(1-2), 1-10.
- Wells, F. E. 1986. A redescription of the sea hare *Aplysia gigantea* Sowerby, 1869. *Journal of the Malacological Society of Australia*, 7(3-4), 173-178.
- Willan, R. C., & Cattaneo-viettf, R. 1995. New data on *Chelidonura amoena* Bergh, 1905 (Opisthobranchia: Cephalaspidea: Aglajidae). Beagle: Records of the Museums and Art Galleries of the Northern Territory, The, 12, 9-18.
- Willan, R. C., & Chanh, Y. W. 2017. Description of three new species of *Tambja* (Gastropoda, Nudibranchia, Polyceridae) from the western Pacific Ocean reveals morphological characters with taxonomic and phylogenetic significance for traditional Polyceridae and related 'phaneorobranch' nudibranchs. *Basteria*, 81(1-3), 1-23.
- Williams, G., & Gosliner, T. 1973. A new species of anaspidean opisthobranch from the Gulf of California (Mollusca: Gastropoda). *Veliger*, 16, 216-232.
- Wilson, N. G., & Burghardt, I. 2015. Here be dragons-phylogeography of *Pteraeolidia ianthina* (Angas, 1864) reveals multiple species of photosynthetic nudibranchs (Aeolidina: Nudibranchia). *Zoological Journal of the Linnean Society*, 175(1), 119-133.
- Wilson, N. G., Jörger, K. M., Brenzinger, B., & Schrödl, M. 2017. Phylogenetic placement of the enigmatic worm-like Rhodopemorpha slugs as basal Heterobranchia. *Journal of Molluscan Studies*, 83(4), 399-408.
- Winters, A. E., White, A. M., Dewi, A. S., Mudianta, I. W., Wilson, N. G., Forster, L. C., Garson, M., Cheney, K. L. 2018. Distribution of defensive metabolites in nudibranch molluscs. *Journal of chemical ecology*, 44, 384-396.
- Winters, A. E., Wilson, N. G., van den Berg, C. P., How, M. J., Endler, J. A., Marshall, N. J., White, A. M., Garson, M. J., Cheney, K. L. 2018. Toxicity and taste: unequal chemical defences in a mimicry ring. *Proceedings of the Royal Society B*, 285(1880), 20180457.
- Yamazaki, T., & Kuwahara, T. 2017. A new species of *Clione* distinguished from sympatric *C. limacina* (Gastropoda: Gymnosomata) in the southern Okhotsk Sea, Japan, with remarks on the taxonomy of the genus. *Journal of Molluscan Studies*, 83(1), 19-26.
- 山崎友資, & 桑原尚司. 2017. ハダカカメガイ属の分類. ちりぼたん: 日本貝類学会研究連絡誌: newsletter of the Malacological Society of Japan, 47(1-4), 77-79.

- Yiu, S. K. F., Chung, S. S. W., & Qiu, J. W. 2021. New observations on the corallivorous nudibranch *Phestilla melanobrachia*: Morphology, dietary spectrum and early development. *Journal of Molluscan Studies*, 87(4),
- Yonow, N. 2001. Results of the Rumphius biohistorical expedition to Ambon (1990). Part 11. Doridacea of the families Chromodorididae and Hexabranchidae (Mollusca, Gastropoda, Opisthobranchia, Nudibranchia), including additional Moluccan material. *Zoologische mededelingen*, 75, 1-50.
- Yonow, N. 2011. Results of the Rumphius Biohistorical Expedition to Ambon (1990). *Zoologische Mededelingen*, 85(17), 905-956.
- Yorifuji, M., Takeshima, H., Mabuchi, K., & Nishida, M. 2012. Hidden diversity in a reef-dwelling sea slug, *Pteraeolidia ianthina* (Nudibranchia, Aeolidina), in the Northwestern Pacific. *Zoological science*, 29(6), 359-367.
- Youn, S. 2016. A Study of Defensive Mechanisms Employed by Two Species of Nudibranchs using Toxicity and Unpalatability Analyses. Independent Study Project (ISP) Collection. 2426.
- Zamora-Silva, A., & Malaquias, M. A. E. 2016. Diet preferences of the Aglajidae: a family of cephalaspidean gastropod predators on tropical and temperate shores. *Journal of the Marine Biological Association of the United Kingdom*, 96(5), 1101-1112.
- Zamora-Silva, A., & Malaquias, M. A. E. 2018. Molecular phylogeny of the Aglajidae head-shield sea slugs (Heterobranchia: Cephalaspidea): new evolutionary lineages revealed and proposal of a new classification. *Zoological Journal of the Linnean Society*, 183(1), 1-51.